

Message

---

**From:** Handley, Bianca [Handley.Bianca@epa.gov]  
**Sent:** 8/9/2021 11:59:31 PM  
**To:** Schulman, Michael [Schulman.Michael@epa.gov]  
**CC:** Poalinelli, Edwin [POALINELLI.EDWIN@EPA.GOV]; Lyons, John [Lyons.John@epa.gov]; Caratini, Jose [caratini.jose@epa.gov]; Ortesi, Marie [Ortesi.Marie@epa.gov]  
**Subject:** Travel Status: Request is with Regional Approvers

**Importance:** Low

This is NOT your approval to travel.

The following Superfund travel has been reviewed for adequate COVID and Fire Safety measures and is approved by the appropriate managers, Superfund Assistant Directors and Deputy Director.

The Deputy Director has sent your request to the Regional Approvers and you should receive an email once we have Regional Approver approval for your travel. That email from the Regional Approver should be PDF'd and attached to your TA.

Continue to monitor local conditions and inform your manager if conditions change.

**Site:** TRW Microwave Site (Triple Site), Sunnyvale, Santa Clara County, CA

**Dates:** 2021-08-19

**Description of work:** A site visit to an Apple office building is necessary to conduct a visual inspection of the building's vapor intrusion mitigation measures. An Apple employee recently contacted EPA and notified EPA that there were cracks in the building's foundation. If true and the cracks are significant, this could impact the effectiveness of the VI mitigation system the protectiveness of human health. The onsite work will include visual inspections to the: (1) The vapor intrusion passive sub-slab depressurization system. (2) The building's concrete slab and past cracks that were sealed to prevent vapor intrusion. (3) Past 2013 to 2015 indoor air sampling locations. (4) The indoor location where contaminated soil was excavated from underneath the building. (5) The spaces between the walls of the three sections of the buildings that were sealed in 2014-2015. (6) The groundwater in-situ bioremediation system (outdoors).

**Safety Measures:**

Once travel has been completed or if travel needs to be cancelled or postponed, go to the following form to complete the Fieldwork Confirmation Form

**Your request ID:** 255

**Form:** <https://forms.microsoft.com/Pages/ResponsePage.aspx?id=s3iziEhnZ0is-Xaqy-ymyp7mXYv7f0c5Lg0MpQqNIXFhUQk1WT1Q4UTM1UEZYSFpWVUdPNzdaVUIDNC4u>